

# SAFETY DATA SHEET

According to Regulation (EC) N° 1907/2006 (REACH)

## 1. Substance/preparation and company name

**Trade Name** Luzar Organic -10°C

**Typical Applications** Coolant – Antifreeze for closed cooling circuit.

**Company** Sucesores de Carmelo Pérez Martínez  
Ctra. Castellón Km 3,700  
Polígono la Unión, nave 3  
E-50.013 Zaragoza (Spain)  
Phone: +34 976 42 18 50 Fax: +34 976 59 19 71  
e-mail: carpemar@carpemar.com

**Emergency phone no.** +34 91 562 04 20

---

## 2. Hazard identification



**H 302: Harmful if swallowed.**

---

## 3. Composition/Information on ingredients

Ethylene Glycol with corrosion inhibitors.

Chemical name	CAS-No	EC number	Content	Symbol(s)	Phrases
Ethanediol	107-21-1	203-473-3	15-25%	Xn	R-22

See section 16 for explanation of R-phrases.

---

## 4. First aid measures

**General advice** Remove contaminated clothing.

**On contact with eyes** Wash affected eyes for at least 15 minutes under running water with eyelids held open.

**On skin contact** Wash thoroughly with soap and water.

<b>If inhaled</b>	If difficulties occur after vapour/aerosol has been inhaled remove to fresh air and seek medical attention. Inhalation of heavy concentration of vapour, fumes or spray may cause mild irritation of the throat.
<b>On Ingestion</b>	Immediately transport to the hospital. Possible risk of vomiting and diarrhoea. Do not induce vomiting to avoid the risk of aspiration into the respiratory tract. Give nothing to drink.
<b>Aspiration</b>	If the person is believed to have entered the lungs (in case of vomiting for example) take the person to hospital for immediate care.

---

## **5. Fire fighting measures**

<b>Suitable extinguishing media:</b>	Water spray, alcohol resistant foam, dry extinguishers, carbon dioxide (CO <sub>2</sub> )
<b>Specific hazards</b>	Evolution of fumes/fog. The substances/group of substances mentioned can be released in case of fire. Vapours heavier than air. Prevent ethylene glycol from decomposing into acetaldehyde, at 500 – 600°C.
<b>Special protective equipment</b>	In case of fire, wear a self contained breathing apparatus.
<b>Further Information</b>	The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed according to official regulations.

---

## **6. Accidental release measures**

<b>Personal precautions:</b>	Use personal protective clothing. Do not inhale vapours/aerosol.
<b>Environmental precautions:</b>	Do not discharge into drains, surface waters, ground water.
<b>Methods for cleaning up/taking up:</b>	<u>Large amount:</u> Pump off products. <u>Residues/spills:</u> Bind the liquid by using a suitable absorbent material and dispose it according to the regulations.

---

## **7. Handling and storage**

<b>Handling</b>	Ensure thorough ventilation of stores and working areas. Keep away from away from combustive substances. Keep away from food and beverages.
<b>Protection against fire and explosion.</b>	Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water.
<b>Storage</b>	Product is hygroscopic. Containers should be stored tightly sealed in dry place. Since zinc is not compatible with ethylene glycol, storage in galvanized containers is not recommended.
<b>Incompatible products</b>	Dangerous reaction with strong oxidizing agents.

---

## **8. Exposure controls and personal protection**

<b>General safety and hygiene measures:</b>	Wash hands and forearms after handling. Do not smoke, eat or drink during manipulations.
<b>Occupational exposure limit:</b>	Vapours of monoethylene glycol (VLE): 125 mg/m <sup>3</sup> (50 ppm) for 15 minutes.
<b>Personal protective equipment:</b>	
<b>Respiratory protection:</b>	Only in case of release of fumes/fog. Well ventilated areas are recommended for manipulation. Required when vapours/aerosols are generated. Filter A-(P2)
<b>Hands:</b>	Chemical resistant protective gloves are recommended.
<b>Eyes:</b>	Safety glasses with side-shields.

### **PNEC Values:**

#### ***Pure monoethylene glycol data***

<u>Fresh water:</u>	10 mg/l
<u>Sea water:</u>	1 mg/l
<u>Water (intermittent releases):</u>	10 mg/l
<u>Fresh water sediment:</u>	20,9 mg/Kg dw
<u>Sea sediment:</u>	No Data mg/kg dw
<u>Soil:</u>	1,53 mg/kg dw
<u>Sewage Treatment Plant:</u>	1995 mg/l

*Data based on individual components for the product.*

<u>Fresh water:</u>	23,81 mg/l
<u>Sea water:</u>	2,33 mg/l
<u>Water (intermittent releases):</u>	23,81 mg/l
<u>Fresh water sediment:</u>	49,76 mg/Kg dw
<u>Sea sediment:</u>	No Data mg/kg dw
<u>Soil:</u>	3,64 mg/kg dw
<u>Sewage Treatment Plant:</u>	4750 mg/l

---

## **9. Physical and Chemical properties**

<b>Physical state</b>	Liquid
<b>Color</b>	Fluorescent yellow.
<b>Odour</b>	Weak, characteristic.
<b>pH</b>	8,5-9,5
<b>Boiling point/range</b>	aprox.102°C
<b>Solidification temperature</b>	-10°C
<b>Vapour pressure at 20°C</b>	0.1 mbar a 20°C
<b>Flash point</b>	>100°C
<b>Lower explosion limit</b>	2,6% V/V
<b>Upper explosion limit</b>	12,6% V/V
<b>Ignition temperature</b>	>400°C
<b>Density</b>	1.03-1.04 g/cc at 20°C
<b>Solubility in water</b>	Unlimited.
<b>Solubility in other solvents</b>	Soluble in polar solvents.

---

## **10. Stability and reactivity**

<b>Hazardous reactions</b>	No hazardous reactions if stored and handle as prescribed.
<b>Substances to avoid</b>	Powerful oxidizing agents and strong acids.
<b>Hazardous decomposition products</b>	No hazardous decomposition products if stored and handle as prescribed. Incomplete combustion and thermolysis produce soot and gases of varying toxicity such as CO, CO <sub>2</sub> , various hydrocarbon and aldehydes.

---

## **11. Toxicological data**

### *Pure monoethylene glycol data*

#### **Acute toxicity:**

LD50 (oral, rat): 7712 mg/Kg. (Literature)

LD50 (dermal, rabbit): >5000 mg/Kg. (Literature)

LC50 (inhalation, rat, 8 hours): >183 ppm (Literature)

#### ***Based on the individual component literature data, not tested as mixture.***

LD50 (oral, rat): 18362 mg/Kg. (Literature)

LD50 (dermal, rabbit): >11905 mg/Kg. (Literature)

#### **Ingestion comments**

Ingestion constitutes the main danger because of the toxicity of ethylene glycol.

Acute intoxication is particularly dangerous for children.

Ingestion is followed first by digestive disorders (nausea, vomiting, abdominal pain), then loss of muscular coordination, convulsions, headaches and dizzy spells, preceding serious nervous disorders.

This develop into a state of torpor and then coma, at times accompanied by convulsions.

High metabolic acidosis (oxalic acid) leads to affliction of the renal ducts, with anuresis.

Intoxication can lead coma with metabolic acidosis that may be fatal.

For man, the lowest oral lethal dose known is 1.5 g/Kg

#### **Subacute to chronic toxicity:**

##### Sensitization:

Not expected to be a sensitizer.

##### Mutagenicity:

Mutagenicity (mammal cell test): negative (OECD 476)

Bacterial mutagenicity: Ames test: negative (in vitro) (IUCLID)

##### Carcinogenicity:

Not carcinogenic in two years studies in rats and mice . This material is not classified as carcinogen. Not listed by IARC, NTP, OSHA or EPA.

##### Teratogenicity:

Not expected

---

## **12. Ecological data**

### *Pure monoethylene glycol data*

#### **Acute toxicity**

##### Toxicity to fish:

Oncorhynchus mykiss (Rainbow Trout) 22810 mg/l LC50 96 h

Pimephales promelas (fathead minnow) 49000 mg/l LC50 96 h

##### Aquatic invertebrates:

Daphnia Magna (Water flea) 41000 mg/l EC50 48h

Aquatic plants:

Scenedesmus capricornutum (fresh water algae) 10940 mg/l IC50 96 h

Microorganisms:

Pseudomonas putida: >10000 mg/l Toxicity Threshold / 16 hours

**Chronic toxicity**

Chronic Toxicity to fish:

Oncorhynchus mykiss (Rainbow Trout) 14692 mg/l NOEC/ 12 days

Chronic Toxicity to aquatic invertebrates:

Ceriodaphnia dubia 3469 mg/l NOEC/ 7 days.

Aquatic plants: Scenedesmus capricornutum (fresh water algae) 10940 mg/l IC50 96 h

**Assessment of aquatic toxicity**

The product has not been tested. The statement has been derived from the properties of the individual components and literature review.

**Persistence and Degradability**

Biodegradation 97%/28d (OCDE 301 C): Readily biodegradable.

Distribution: log Pow: -1,36 (Experimental, Literature): No bioaccumulation is to be expected (log Pow<1).

**Additional information** Do not release into natural waters.

---

**13. Disposal considerations**

**Waste disposal**

Dispose of in a safe manner, in accordance with local regulations.

**Disposal of contaminated packaging**

Proceed in compliance with prevailing regulations.

---

**14. Transport information**

Not classified as hazardous under transport regulations.  
(ADR / RID / ADNR / IMDG/GGVSee ICIAO/IATA)

---

## **15. Regulatory information**

Regulations of the European Union (labeling) / National legislation / Regulations:



Hazard symbol: Harmful

Contains: Ethanediol

Risk phrases: H 302: Harmful if swallowed.

Precaution phrases: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician

P301+P330+P331: IF SWALLOWED: Rinse mouth and do NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

---

## **16. Further information**

### **Abbreviations and acronyms:**

*PNEC*: Predicted No Effect Concentration.

*Intermittent Release*: Intermittent but only recurring infrequently i.e. less than once per month and for no more than 24 hours.

This safety data sheet is intended to provide information and recommendations as to: 1. how to handle chemical substances and preparations in accordance with the essential requirements of safety precautions and physical, toxicological and ecological data. 2. how to handle, store, use and transport them safely.

No liability for damage occurred in connection with the use of this information or with the use, application, adaptation or processing the products here described will be accepted. No liability will be accepted for damage indirectly incurred.

We provide this information data according to our present level of knowledge and experience. No assurances concerning the characteristics of our product are hereby furnished.